



Tech Info Library

A/UX: Solution to RPC_PROG_NOT_REGISTERD Error

Article Created: 15 October 1990

Article Change History

08/31/92 - REVIEWED

- For technical accuracy.

TOPIC -----

I tried to mount a remote file system and got the error:

```
mount: <hostname> server not responding: RPC_PROG_NOT_REGISTERD
```

DISCUSSION -----

Check to see that the /etc/initd daemon is running.

1) Log on to the system as "root".

2) Enter the line:

```
ps -ef | grep mount
```

The output should look like this:

```
root  317   107   0  Apr 25 ?      0:05 rpc.mountd
```

If you did not get this output, do these steps:

1) Enter the line:

```
grep inetd /etc/inittab
```

You should see this output:

```
net9:2:respawn:/etc/inetd
```

The inetd daemon starts the rpc.mountd daemon. If the output does not match the above output, edit the file /etc/inittab and change that line

so that it does.

2) Shut the system down into single-user mode;

```
# sync; sync
# init 1.
```

3) Bring the system back up into multi-user mode

```
# init 2
```

Copyright 1990 Apple Computer, Inc.

Keywords: <None>

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 6306