

## Macintosh System Software: Configuring For Different Models

This article last reviewed: 21 January 1989

When supporting very large numbers of Macintosh users using different Macintosh models, it may be important to keep the number of variations in system loads to a minimum. Therefore, it may be advantageous to use common system software for all the different Macintoshes.

If you are going to choose common system software for Macintosh Plus, Macintosh SE, and Macintosh II/Macintosh IIx systems, it is best to install the current system for Macintosh II/Macintosh IIx. This ensures that all CDEVs usable by the Macintosh Plus, Macintosh SE, and Macintosh II/Macintosh IIx systems are available.

The patches for the Macintosh Plus, Macintosh SE, and Macintosh II/Macintosh IIx systems are present regardless of the Macintosh model in which the system software was installed, and are loaded only as needed.

For example, the Macintosh SE patches are loaded by the system when a Macintosh SE is used; the Macintosh Plus and Macintosh II/Macintosh IIx patches are not loaded.

The only penalty for use of the Macintosh II/IIx system will be a slight increase in the amount of disk space used. Performance will not be affected. Copyright 1989 Apple Computer, Inc.

Keywords: <None>

\_\_\_\_\_

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 3536